


# Advance AquaPro® XP/H/C

Portable Extractors



DEFINING  
CLEANING  
INNOVATION



AquaPro® XP – Gold  
AquaPro® H – Silver  
AquaPro® C – Bronze

Superior Deep Cleaning Action  
with More Productivity

 **Advance**  
*by Nilfisk-Advance*



# Advance AquaPro® XP/H/C

## Portable Extractors

### The Advance AquaPro® with AquaWand™ delivers superior deep-cleaning and more productivity.

The Advance AquaPro® series with AquaWand™ represents the ultimate in portable carpet extractors. AquaPro features deep-cleaning power and built-in conveniences to make operators more productive than ever. Each model is equipped with the AquaWand cleaning tool that is light, durable and more efficient than competitive wands.

A key to the exceptional cleaning performance and productivity of the AquaPro series is the AquaWand extraction tool, standard with each model. The rotomolded, low-friction, \*Delrin® glide head on the AquaWand allows it to move effortlessly across carpet. Its laminar airflow design provides increased water pick-up with less time and effort used by the operator. In independent tests, AquaWand left only half as much residual water in carpets as comparable machines. That means better cleaning, faster drying and more time saved.

The AquaPro XP model offers two extraction modes for tough and light jobs. Deep-extraction mode provides 300 psi and 212 degree F solution at the wand tip for superior restoration extraction. With the push of a button, the pressure can be reduced to 75 psi for upholstery or light duty cleaning. This machine has earned the Carpet & Rug Institute's (CRI) Seal of Approval Gold for carpet extraction.

The AquaPro H model also provides the cleaning power of 212 degree F solution at the wand tip, combined with 150 psi for restoration extraction. This model has earned the CRI Seal of Approval Silver for carpet extraction. Both the AquaPro XP and the AquaPro H have an independent circuit locator that identifies when the machine is plugged into separate circuits to prevent blown circuits.

The AquaPro C model is the right choice for lighter jobs. This non-heated, 150 psi model has earned the CRI Seal of Approval Bronze for carpet extraction.

Operators will appreciate the convenience of onboard storage for floor tools and other accessories. All models feature onboard storage of the AquaWand floor tool, self-contained storage for the power cord and a compartment for storing detergent bottles, hand tools and other cleaning items.


Equipped with a 14-gallon solution tank, the AquaPro is large enough to tackle most jobs, yet is compact enough for easy maneuvering and transporting. The solution tank has a clear hose which acts as both a solution gauge and drain hose. The recovery drain hose is designed to easily empty the 12-gallon recovery tank into a commode or slop sink.

Not only does the AquaPro deliver superior cleaning results, but it is also easy to maintain. The clam shell design allows easy access for servicing, and the convenient grips and handle provide assistance when lifting the unit into a vehicle for transport.

\* Delrin® is a registered trademark of DuPont

### Ideal Applications Include —

- Contract Cleaners
- Schools and Universities
- Office Buildings
- Hospitality
- Healthcare Facilities
- Airports
- Government Buildings



#### VALUE FEATURES



Onboard storage of AquaWand and compartments to store cleaning supplies.



Rugged construction with durable components assures years of reliable service.



Clam shell design allows easy access for servicing.



CRI Seal of Approval meets equipment requirements for LEED and GS-42 certification.



The Advance AquaPro® line of portable extractors is available in three models, the XP, H and C. There is a version for a variety of cleaning applications.



The low friction glide and light weight AquaWand is designed for less operator fatigue.



Waterproof control panel to protect against spills. The solution tank fill port is recessed to contain spills.



Float ball screen protects the vacuum motor.



Clam shell design allows easy access for servicing.



Independent, disconnect cords for heater and vacuum pump.

VALUE FEATURES



Finger grips provide assistance when lifting the machine.



## Advance AquaPro® Keeps Operating Costs Down

The Advance AquaPro® is ruggedly built with durable components and systems, so it will keep on working for years. The clam shell design, lifetime warranty heater and waterproof control panel allow for reduced maintenance costs. The Advance AquaPro is an investment in floor cleaning productivity that will pay off for years to come.


### Defining Cleaning Innovation...

- Our products are designed using innovative technology that increases productivity and drives down the cost to clean.
- You can get expert service and maintenance for your Advance machines from factory-trained personnel around the world. Fast parts delivery, too.
- Maintain peak performance with Nilfisk Genuine OEM Parts.

**Nilfisk** Genuine OEM Parts

### Standard Accessories

- 15 foot Solution Hose
- 15 foot Crush-Proof Recovery Hose
- AquaWand™ Cleaning Tool
- 25 foot Disconnect Power Cord



### Optional Accessories

- 25 foot Solution and Recovery Hose
- Stainless Steel Hand Tool



## Technical Specifications

	AquaPro® XP	AquaPro® H	AquaPro® C
<b>Solution Pump</b>	300 psi / 75 psi	150 psi	150 psi
<b>Solution Tank Capacity</b>	14 gal (53 L)	14 gal (53 L)	14 gal (53 L)
<b>Recovery Tank Capacity</b>	12 gal (45 L)	12 gal (45 L)	12 gal (45 L)
<b>Vacuum Motors</b>	1 - 3 stage	2 - 2 stage	2 - 2 stage
<b>Built-in Heater</b>	Yes	Yes	No
<b>Waterlift</b>	140 in (356 cm)	150 in (381 cm)	150 in (381 cm)
<b>Air Flow</b>	100 cfm	100 cfm	100 cfm
<b>Solution Hose Length</b>	15 ft (4.5 m)	15 ft (4.5 m)	15 ft (4.5 m)
<b>Recovery Hose Length</b>	15 ft (4.5 m)	15 ft (4.5 m)	15 ft (4.5 m)
<b>Rear Wheels</b>	10 in (25 cm)	10 in (25 cm)	10 in (25 cm)
<b>Front Castors</b>	4 in (10 cm)	4 in (10 cm)	4 in (10 cm)
<b>Power Cord</b>	2 - 25 ft, yellow	2 - 25 ft, yellow	1 - 25 ft, yellow
<b>Length</b>	36 in (91 cm)	36 in (91 cm)	36 in (91 cm)
<b>Width</b>	17 in (43 cm)	17 in (43 cm)	17 in (43 cm)
<b>Height</b>	38 in (96 cm)	38 in (96 cm)	38 in (96 cm)
<b>Machine Weight</b>	115 lb (52 kg)	83 lb (37 kg)	78 lb (35 kg)
<b>Part Numbers</b>	56 380 470	56 380 472	56 380 471

Specifications are subject to change without notice.



14600 21st Avenue North  
Plymouth, MN 55447-3408  
www.advance-us.com  
Phone: 800-850-5559  
Fax: 800-989-6566

240 Superior Boulevard  
Mississauga, Ontario, Canada L5T 2L2  
www.nilfisk-advance.com  
Phone: 905-564-1149 or 800-668-8400  
Fax: 905-564-1030 or 800-263-5111

©2008, Nilfisk-Advance, Inc., Printed in U.S.A. Form L1487A 10/08

