

# T2

## **Compact 43 cm Scrubber-Dryer**

- Experience Tennant performance while maintaining your budget
- Clean small, congested spaces easily
- Deliver superior cleaning and floor safety
- Lower fatigue and increase operator satisfaction with low push force pad-assistance



## Dramatically improve cleanliness and safety in small spaces.

### Enhance productivity

Increase operation efficiency by completely cleaning and drying small, congested areas in one pass. Additionally, Tennant T-series durability ensures maximum machine uptime.

### Ensure superior cleaning performance

Provide the highest level of cleanliness with 23 kg of down pressure and 230 rpm agitation – all delivered through a 0.75 kW brush motor; the most powerful in its class.

### Maintain maximum hygiene

Reduce scrubber-dryer tank mould and bacteria with Tennant's easy-to-clean hygienic recovery tank and debris tray.



### ENGINEERED FOR ENVIRONMENTAL SAFETY

#### Increase indoor environmental quality.

Provide “anytime” operation with a 68 dBA sound level while optional maintenance-free batteries lower emissions, improving indoor air quality.

#### Maximize operational safety.

Brush assist action only occurs when an operator engages the “safety triggers” while scrubbing.

#### Reduce risk of slip-and-fall accidents.

Unsurpassed water recovery leaves small, congested spaces ready for foot traffic immediately.



## Experience the industry's benchmark T-series, with the affordable T2 scrubber-dryer.

Enhance operator comfort and reduce fatigue with height-adjustable, "safety trigger" handle design.



Tennant's unique pad driver and squeegee holder make transporting or storing the T2 simple and easy.



Easily train new operators with the industry's most simplified controls – just power on and activate the triggers.



Optimise machine sanitisation with an easy clean-out rotomould recovery tank and debris tray.



## T-SERIES SCRUBBER-DRYERS

T-Series scrubber-dryers optimise your facility health and safety with industry leading noise-levels and water recovery along with exclusive, fully cleanable hygienic tanks.

### T1 380 mm

Corded scrubber-dryer with unmatched bi-directional water recovery and exclusive fully adjustable handle.



### T2 430 mm

Experience cordless freedom with Tennant's smallest, most affordable battery scrubber-dryer.



### T3 430, 510 mm

Ultra-quiet operation can now be combined with award winning FaST® or electrically converted water technology and fully-cleanable hygienic tanks.



### T5 610-810 mm

Reach a higher level of cleanliness, health and safety with the environmentally-friendly T5 using standard, FaST or electrically converted water technologies.



### T7 660-810 mm

Maximise comfort, agility and run time with a compact rider that features productivity enhancing economy mode.



## SEEING IS BELIEVING

For a demonstration or additional information, contact us:

## T2 WALK-BEHIND AUTOMATIC SCRUBBER-DRYER

### Scrubbing System

Cleaning path	430 mm
Solution tank capacity	26 L

### Productivity (per hour)

Theoretical Max	1720 m <sup>2</sup>
Estimated Coverage	950 m <sup>2</sup>

### Drive System

Brush motor horsepower	0.75 kW
Brush RPM	230 rpm
Brush/pad pressure	23 kg

### Recovery System

Recovery tank description	Full access & cleanable
Recovery tank capacity (includes demisting chamber)	36 L
Vacuum motor	0.30 kW– two stage
Vac motor CFM	31 L/sec
Vac motor sealed waterlift	9,9 kPa

### Battery System

Optional Lead Acid / Run time	(2) 12V, 85 AH/ Up to 2 hours
Optional Gel / Run time	(2) 12V, 70 AH / Up to 1.75 hours

### Dimensions/Weights

Product height	930 mm
Product length	1,120 mm
Product width (with squeegee)	695 mm
Product weight (with gel batteries)	136 kg

### Decibel Rating

Operator's position*	68 dBA
----------------------	--------

\* For CE compliance, sound level is measured as an A-weighted sound pressure level per ISO 11201 and reported in accordance with ISO 4871.

**Warranty** 24 Months (or max 2,000 running hours) on parts and 12 months (or max 1,000 running hours) on labour, whichever comes first, excluding wear items.

## GENUINE TENNANT PARTS, SUPPLIES & SERVICE

### Genuine Tennant Parts Advantage

Operate your machine with confidence by choosing genuine Tennant parts. Only authentic Tennant parts are engineered in conjunction with Tennant equipment. For years of worry-free operation, accept only genuine parts and supplies.

### Direct Service Network

In Europe, Tennant offers a factory-trained, locally based network of more than 220 service technicians dedicated to keeping your cleaning program up and running. Protect your investment with a Tennant Service Agreement.

Choose one of the many Tennant Financial Solutions for easy and quick financing.

For more detailed information on these topics, please contact your Tennant sales person.

### TENNANT UK LTD.

Gladstone Road  
Northampton NN5 7PX  
UNITED KINGDOM  
Tel: 00800-2255 8366  
Fax: 00800-3298 3662  
Tel: 01604 583191 (local rate UK only)  
Fax: 01604 587909 (local rate UK only)  
E-mail: europe@tennantco.com

### TENNANT CEE GmbH

Sommerfeld 1  
5202 Neumarkt am Wallersee  
AUSTRIA  
Tel: +43 (0)6216 4524 & 4525  
Fax: +43 (0)6216 4524 20  
E-mail: office@tennant-cee.com

### TENNANT EUROPE NV

Plantin & Moretuslei 220  
2018 Antwerp  
BELGIUM  
Tel: +32 3 217 94 11  
Fax: +32 3 217 94 19  
E-mail: europe@tennantco.com