



Centre de toxicologie / INSPQ

Biological Reference Material

- Evaluation Report -

PC-U-S2501

Biological matrix : Urine

Date of publication :

Expiration date : 2029-09-10

MATERIAL NUMBER	Biological matrix	ANALYTE	ASSIGNED VALUE	UNIT	STANDARD UNCERTAINTY *	N
PC-U-S2501	Urine	Arsenic Arsenobetaine	3.94	µg/L	0.171	4
	Urine	Arsenic DMAA	3.69	µg/L	0.0899	6
	Urine	Arsenic MAA	80.2	µg/L	1.68	6
	Urine	Inorganic arsenic	85.5	µg/L	2.46	16
	Urine	Total arsenic	91.2	µg/L	2.53	15

* Standard uncertainty (µx): characteristic of the dispersion of results used to calculate the assigned value; expressed in the same format as the standard deviation.

Centre de toxicologie / INSPQ | 945, ave. Wolfe | Québec (Québec) G1V 5B3 | Canada
Tél. : (418) 650-5115, poste 4254 | Fax : (418) 654-2148 | Courriel : ctq@inspq.qc.ca | Site Web : www.inspq.qc.ca/ctq
Magasin virtuel : www.inspq.qc.ca/ctq/vente | Virtual store/reference material : www.inspq.qc.ca/ctq/sales